

Work Order ID 76836 - 2

\*76836\*

Page 1

November 22, 2011 8:10:06 AM

Item ID: D6101-001

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Saddle Billet

Start Date: 11/22/11 Start Qty: 100.00 \*100\*

Cust Item ID:

Required Date: 12/19/11 Req'd Qty: 100.00 \*100\*

Customer:

Reference:

Approvals: Process Plan: CL

Date: 11/11/22

Tooling:

Date:

Run Start \*NR1\*

QC:

Date:

SPC (Y/N):

Date:

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D6101

Rev B

100

0.00

\*100\*

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O:

a) Description: Aluminum billet

b) 6.00" x 6.250" x 2.00" thick

c) Tolerance on length are +0.030"/-0.000" E+/-0.008"

d) Grain direction along 6.00" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

CL 11/11/23 100

110

Receive &amp; Inspect for Damage &amp; Mat'l Certs

0.00

\*110\*

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

Puff 4/13 (40)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

✓ NOTE: Date & initial all entries

# Work Order ID 76836

November 22, 2011 8:10:06 AM

**\*768.36\***

Page 2

Item ID: D6101-001

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Saddle Billet

Start Date: 11/22/11 Start Qty: 100.00

**\*100\***

Cust Item ID:

Required Date: 12/19/11 Req'd Qty: 100.00

**\*100\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC6- Inspect dimensions to drawing	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control	Ensure Material certification comply to Dwg D								
130	Identify as per dwg & Stock Location: <b>MAT42</b>	0.00							
<b>*130*</b>									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
<b>*140*</b>									
QC	Memo	0.00							
Quality Control									

*and 11/12/15*

*40*

*SL 11-12-21*

*(AC)*

*11/12/21*

*MUF 11-12-21*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

✓ NOTE: Date & initial all entries

# Picklist Print

November 22, 2011 8:10:06 AM

Page 1

Work Order ID: 76836

Parent Item: D6101-001

Parent Item Name: Saddle Billet

Start Date: 11/22/11

Required Date: 12/19/11

Start Qty: 100.00

Required Qty: 100.00

Comments: IPP B: 01,05,04New IssueEC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001P 7075-T7351 2X6X6.25		Purchased	No			110	Each	0.0000	1	100		11/24/11	yc



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

**B** ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

**B**

*Similar  
w/ 76836*

**RELEASED**  
*09/07/15/WB*

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



**Castle Metals®**

A. M. Castle &amp; Co.

## BORDEREAU DE MARCHANDISES

Page 1 of 2

No de Formulaire d'Emballage / Shipment No:1088622

<b>Expédié de / Ship From:</b> A. M. Castle & Co. KENT 20826 68TH AVENUE SOUTH KENT, WA 98032		<b>Vendu à / Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Expédié à / Ship To:</b> WILL CALL-MONTREAL 835 SELKIRK AVENUE POINTE CLAIRE, QC H9R 3S2 CAN		<b>Livré à / Deliver To:</b> WILL CALL-MONTREAL 835 SELKIRK AVENUE POINTE CLAIRE, QC H9R 3S2 CA	
<b>Date d'expédition / Date Shipped</b>	<b>F.O.B.</b>	<b>Modalités de transport / Freight Terms</b>		<b>Transporteur / Carrier</b>		<b>No du Bon de connaissance / BOL No</b>	
02-DEC-2011	ORIGIN	Prepaid		OLD DOMINION		1088622-2	

<b>Détails d'expédition / Shipment Details</b>	<b>Destination finale / Final Destination Branch - KEN</b>
--	--

<b>N° de commande / Order No</b> 1853530	<b>N° de ligne / Line No</b> 1	<b>N° d'article / Item No</b> 752237.MO	<b>Description</b> 2.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 6.25 IN ( + .0620/- .0000 IN (GRAIN TO RUN ALONG 6")) X 6 IN ( + .0620/- .0000 IN (GRAIN TO RUN ALONG 6")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12
<b>N° de bon de commande / Purchase Order No</b> 15518	<b>Nbre de pièces / Part Number</b> YOUR ITEM NUMBER: D6101-001	<b>Qté commandée / Ordered Qty</b> 40.00 PCS	<b>Qté Facturée / Invoice Qty</b> 40.0000 PCS

<b>Détails / Details</b>							
<b>N° de livraison / Delivery No :</b> 108213308	<b>Usine / Mill</b>	<b>No de coulée / Heat Number</b> 443773A7	<b>Code méc / Mech Id</b>	<b>Pièces / PCS</b> 40	<b>Largeur (Pouce) / Width (IN)</b>	<b>Longueur (Pouce) / Length (IN)</b>	<b>Qté expédiée / Shipped Qty(LBS)</b> 309.66

Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des États-Unis est interdite.

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Ce matériel a été reçu et inspecté par

Date:

Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 12-DEC-2011 02:08:05 PM



**Castle Metals®**

A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:			
--	--	--	--

## SHIP TO:

CASTLE METALS AEROSPACE  
20826 68TH AVE. SOUTH  
KENT, WA 98032

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
3400 NO. WOLF ROAD  
FRANKLIN PARK, IL 60131

## CERTIFIED TEST REPORT

Serial Number

4144547

CUSTOMER PO NUMBER: 45-25041		WORK PACKAGE:		CUSTOMER PART NUMBER: 6857 A97075-60		SHIP RUN/LOAD ID: 101393/10		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1073740	LINE ITEM: 1	SHIP DATE: 16-OCT-2008	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: MILL FINISH PLATE			
WEIGHT SHIPPED: 5800 LB	QUANTITY: 4 PCS EST.	B/L NUMBER: 2019871	GAUGE: 2.0000 IN		WIDTH: 48.500 IN		LENGTH: 144.500 IN		

### Certified Specifications

AMS 4078/RevG  
ASTM B 209/Rev07  
BSS 7055/RevA  
DPS 4.713/RevAH  
GSS16100/RevG

AMS-QQ-A-250/12  
ASTM B 594/Rev06  
CMMP 025/RevR  
EAC MS1011/RevE  
MMS 159/RevN

AMS-STD-2154  
BAC 5439/RevH  
CSTI 006/RevC  
GAMPS 9101/RevB  
PS 21211/RevK

Test Code: 4297

### Test Results

Lot: 443773A7 Cast 186

Drop 10

Ingot 2

(ASTM E8/B557)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	72.7 : 73.5 (501 : 507)	61.7 : 62.7 (425 : 432)	12.2 : 12.4

(ASTM E1004)

Conductivity %IACS :	41.1 Min	41.4 Max
(MS/M) :	23.8 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.08	0.16	1.4	0.02	2.4	0.19	5.7	0.02	0.01	0.01	TOT 0.04

CASTLE METALS - KENT

DATE REC'D 10-21-08 CUST. \_\_\_\_\_

REC'D FROM Kaiser CUST. P.O. \_\_\_\_\_

APPROVED BY AM AMCS/O \_\_\_\_\_

TR # 443773A7/443920A7

WE HEREBY CERTIFY THAT THESE ARE CORRECT  
COPIES OF REPORTS NOW ON FILE AT A.M. CASTLE & CO.

BY: AM JAC: U867



**KAISER  
ALUMINUM****CERTIFIED TEST REPORT**Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586Serial Number  
4144547

Lot: 443920A4 Cast 186

Drop 10

Ingot 1

(ASTM E8/B557)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	72.4 : 72.7 (499 : 501)	61.7 : 62.1 (425 : 428)	11.7 : 11.9

(ASTM E1004)

Conductivity %IACS :	41.2 Min	41.9 Max
(MS/M) :	23.9 Min	24.3 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.08	0.16	1.4	0.02	2.4	0.19	5.7	0.02	0.01	0.01	TOT 0.04

**ALLOY LIMITS**

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

**TEST NOTES**

Metal represented by this test report was immersion ultrasonically tested from one side and meets the Class A and Class B requirements of all specifications referenced on this test report.

**CERTIFICATION**

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE U.S.A OR CANADA AND MANUFACTURED IN THE U.S.A. AND HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT-TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS ARE ON FILE, SUBJECT TO EXAMINATION. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULANT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED

**BILL POYNOR, LABORATORIES SUPERVISOR**
